

Safety Data Sheet

according to UK REACH Regulation

Bleach´n Smile Automix

Revision date: 18.04.2024

Product code: 237050

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Bleach´n Smile Automix

Further trade names

Art.-No.: 237050, 237051

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Dental Bleaching

1.3. Details of the supplier of the safety data sheet

Company name:	Schütz Dental GmbH	
Street:	Dieselstrasse 5-6	
Place:	D-61191 Rosbach (Germany)	
Telephone:	+49 (0) 6003 814-0	Telefax: +49 (0) 6003 814-906
E-mail:	info@schuetz-dental.de	
Contact person:	Dr. Uwe Krichbaum	Telephone: +49 (0) 6003 814-650
Internet:	www.schuetz-dental.de	
Responsible Department:	Technische Dokumentation	

1.4. Emergency telephone number:

+49 (0) 6003 814-0 Schütz Dental (8:00 - 17:00 Uhr) or +49 (0) 6131 19240 University Mainz (24 h)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GB CLP Regulation**

Acute Tox. 4; H302
 Acute Tox. 4; H332
 Skin Irrit. 2; H315
 Eye Dam. 1; H318
 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

2.2. Label elements**GB CLP Regulation****Hazard components for labelling**

hydrogen peroxide solution

Signal word: Danger**Pictograms:****Hazard statements**

H302+H332	Harmful if swallowed or if inhaled.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

Precautionary statements

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
----------------	--

Safety Data Sheet

according to UK REACH Regulation

Bleach 'n Smile Automix

Revision date: 18.04.2024

Product code: 237050

Page 2 of 10

P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see ... on this label).
P330	Rinse mouth.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container to Dispose of waste according to applicable legislation..

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Pictograms:



Hazard statements

H318

Precautionary statements

P305+P351+P338-P310

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
7722-84-1	hydrogen peroxide solution			25 - < 50 %
	231-765-0	008-003-00-9		
	Ox. Liq. 1, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1A; H271 H332 H302 H314			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7722-84-1	231-765-0	hydrogen peroxide solution	25 - < 50 %
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: ATE = 500 mg/kg Ox. Liq. 1; H271: >= 70 - 100 Ox. Liq. 2; H272: >= 50 - < 70 Skin Corr. 1A; H314: >= 70 - 100 Skin Corr. 1B; H314: >= 50 - < 70 Skin Irrit. 2; H315: >= 35 - < 50 Eye Dam. 1; H318: >= 8 - < 50 Eye Irrit. 2; H319: >= 5 - < 8 STOT SE 3; H335: >= 35 - 100		

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Safety Data Sheet

according to UK REACH Regulation

Bleach ´n Smile Automix

Revision date: 18.04.2024

Product code: 237050

Page 3 of 10

After ingestion

Rinse mouth immediately and drink 1 glass of water. Do NOT induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet
Carbon dioxide (CO₂)
Extinguishing powder
Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

No special measures are necessary.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.
Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Dilute with plenty of water. Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Provide adequate ventilation.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Safety Data Sheet

according to UK REACH Regulation

Bleach 'n Smile Automix

Revision date: 18.04.2024

Product code: 237050

Page 4 of 10

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a fire-resistant refrigerator.

Hints on joint storage

Take any precaution to avoid mixing with combustibles Reducing agent. May be corrosive to metals.

Further information on storage conditions

Keep container tightly closed. Keep cool. Heating causes rise in pressure with risk of bursting.

7.3. Specific end use(s)

Dental Bleaching

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
56-81-5	Glycerol, mist	-	10		TWA (8 h)	WEL
7722-84-1	Hydrogen peroxide	1	1.4		TWA (8 h)	WEL
		2	2.8		STEL (15 min)	WEL

8.2. Exposure controls



Appropriate engineering controls

Remove contaminated, saturated clothing immediately. Wash hands before breaks and after work.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

Wear protective gloves.

NR (natural rubber, Natural latex)

Permeation time (maximum wear duration): 0,1 - 0,2 mm: 5 min.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:

Colour: red

Melting point/freezing point:

not determined

Boiling point or initial boiling point and

100 °C

boiling range:

Flammability:

not determined

Lower explosion limits:

not determined

Safety Data Sheet

according to UK REACH Regulation

Bleach ´n Smile Automix

Revision date: 18.04.2024

Product code: 237050

Page 5 of 10

Upper explosion limits:	not determined
Flash point:	160 °C
Auto-ignition temperature:	400 °C
Decomposition temperature:	not determined
pH-Value:	7,3
Viscosity / kinematic:	not applicable
Solubility in other solvents not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure: (at 20 °C)	23 hPa
Density:	1,2 g/cm ³
Relative vapour density:	not determined
Particle characteristics:	not determined

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Reaction with:

metals

Reducing agent

Catalyst

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Harmful if swallowed.

Harmful if inhaled.

ATEmix calculated

ATE (oral) 1429 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) 31,43 mg/l; ATE (inhalation dust/mist) 4,286 mg/l

Safety Data Sheet

according to UK REACH Regulation

Bleach ´n Smile Automix

Revision date: 18.04.2024

Product code: 237050

Page 6 of 10

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7722-84-1	hydrogen peroxide solution				
	oral	ATE 500 mg/kg			
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			

Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (hydrogen peroxide solution)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards**Other information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information**12.1. Toxicity**

Based on available data, the classification criteria are not met.

The product is not: Ecotoxic.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment. slightly hazardous to water

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Safety Data Sheet

according to UK REACH Regulation

Bleach ´n Smile Automix

Revision date: 18.04.2024

Product code: 237050

Page 7 of 10

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 2014
14.2. UN proper shipping name:	2014 WASSERSTOFFPEROXID, WÄSSERIGE LÖSUNG
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	II
Hazard label:	5.1+8



Classification code:	OC1
Limited quantity:	1L
Transport category:	2
Hazard No:	559
Tunnel restriction code:	E

Other applicable information (land transport)
E2

Inland waterways transport (ADN)

14.1. UN number or ID number:	UN 2014
14.2. UN proper shipping name:	2014 WASSERSTOFFPEROXID, WÄSSERIGE LÖSUNG
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	II
Hazard label:	5.1+8



Classification code:	OC1
Limited quantity:	1L

Other applicable information (inland waterways transport)
E2

Marine transport (IMDG)

14.1. UN number or ID number:	UN 2014
14.2. UN proper shipping name:	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	II
Hazard label:	5.1/8



Marine pollutant:	Nein
EmS:	F-H,S-Q

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	UN 2014
14.2. UN proper shipping name:	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
14.3. Transport hazard class(es):	5.1

Safety Data Sheet

according to UK REACH Regulation

Bleach ´n Smile Automix

Revision date: 18.04.2024

Product code: 237050

Page 8 of 10

14.4. Packing group:

Hazard label:

II

5.1 (8)

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Oxidising substances. strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 75

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Safety Data Sheet

according to UK REACH Regulation

Bleach 'n Smile Automix

Revision date: 18.04.2024

Product code: 237050

Page 9 of 10

Abbreviations and acronyms

Ox. Liq: Oxidising liquids
 Acute Tox: Acute toxicity
 Skin Corr: Skin corrosion
 Skin Irrit: Skin irritation
 Eye Dam: Eye damage
 STOT SE: Specific target organ toxicity - single exposure
 CLP: Classification, labelling and Packaging
 REACH: Registration, Evaluation and Authorization of Chemicals
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
 UN: United Nations
 EC/EEC: European Community/European Economic Community
 EU: European Union
 CAS: Chemical Abstracts Service
 DNEL: Derived No Effect Level
 DMEL: Derived Minimal Effect Level
 PNEC: Predicted No Effect Concentration
 ATE: Acute toxicity estimate
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%
 LL50: Lethal loading, 50%
 EL50: Effect loading, 50%
 EC50: Effective Concentration 50%
 ErC50: Effective Concentration 50%, growth rate
 NOEC: No Observed Effect Concentration
 BCF: Bio-concentration factor
 PBT: persistent, bioaccumulative, toxic
 vPvB: very persistent, very bioaccumulative
 M-factor: Multiplying factor
 ADR: Accord européen sur le transport des marchandises dangereuses par Route
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Regulations concerning the international carriage of dangerous goods by rail
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation
 intérieures)
 IMDG: International Maritime Code for Dangerous Goods
 EmS: Emergency Schedules
 MFAG: Medical First Aid Guide
 IATA: International Air Transport Association
 DGR: Dangerous Goods Regulations
 ICAO: International Civil Aviation Organization
 TI: Technical Instructions
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 IBC: Intermediate Bulk Container
 SVHC: Substance of Very High Concern
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety
 assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Acute Tox. 4; H332	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method
STOT SE 3; H335	Calculation method

Safety Data Sheet

according to UK REACH Regulation

Bleach ´n Smile Automix

Revision date: 18.04.2024

Product code: 237050

Page 10 of 10

Relevant H and EUH statements (number and full text)

H271	May cause fire or explosion; strong oxidiser.
H302	Harmful if swallowed.
H302+H332	Harmful if swallowed or if inhaled.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)